International Well Control Forum



IWCF Well Intervention Pressure Control Syllabus Level 3 and 4

April 2023 Version 12



Contents

COMPLETION OPERATIONS	11
OVERVIEW	11
Well intervention pressure control incidents	11
Well Integrity Assurance	11
Principles	11
Annulus pressure monitoring in well intervention	12
Risk management	13
Management of change	14
Well (pressure) control drills	15
Well intervention pressure control training and assessment	15
Well handover	16
Introduction to Well Control	17
Hydrostatic pressure	17
Formation pressure	18
Fracture pressure	19
Formation injectivity tests	19
Primary well (pressure) control	20
Secondary well (pressure) control	21
Basic calculations	21
Barriers	22
Barrier philosophy	22
Barrier management	24
Barrier Verification Testing	27
Verification	27
Inflow testing	30



Equipment integrity testing	31
Influx Characteristics and Behaviour	33
Principles	33
Shut-in Procedures	35
Principles	35
Procedures	35
Interpretation	37
Well Kill Methods	39
Principles	39
Forward circulation	40
Reverse circulation	41
Well kill calculations	41
Bullheading	42
Lubricate and bleed	43
Surface failures	44
Hydrates	45
Blockage in the well	46
COMPLETION EQUIPMENT	47
Introduction to well completion	47
Xmas Trees	48
Wellhead and tubing hanger	48
Tubing including flow couplings and tubing movement	49
Subsurface safety valves and annular safety valves	50
Side pocket mandrels	
Sliding sleeves, circulation and flow control devices	51
Packers and associated equipment (polished bore receptacle (PBR) and extra-long tubing seal receptacle (ELTSR))	52



Landing nipples, plugs and wireline entry guides (WEGs)	53
OPTIONAL TOPICS	54
WIRELINE (WL)	54
Application WL	54
Equipment WL	54
Pressure Control	55
Surface PCE stack WL	55
Primary barrier elements WL	55
Secondary barrier elements – BOPs (ram type preventers) WL	57
Shearing devices WL	58
Pressure Control (Barrier Elements and Envelopes) Principles WL	59
Other operations - PCE stack WL	59
Safely repair or replace a failed primary barrier element WL	60
PCE rig up WL	61
PCE testing WL	61
Well Intervention Operations WL	62
Operational Considerations (with well control consequences) WL	62
Controlled well shut in WL	64
Loss of pressure control during well intervention operations WL	65
COILED TUBING (CT)	68
Application CT	68
Equipment CT	68
Pressure Control	69
Surface PCE stack CT	69
Primary barrier elements CT	69
Secondary barrier elements – BOPs (ram type preventers) CT	71



Shearing devices CT	72
Other well control devices CT	73
Pressure Control (Barrier Elements and Envelopes) Principles CT	73
Other operations - PCE Stack CT	74
Safely repair or replace a failed primary barrier element CT	75
PCE rig up CT	76
PCE testing CT	76
Well Intervention Operations CT	77
Operational Considerations (with well control consequences) CT	77
Controlled well shut in CT	78
Loss of pressure control during well intervention operations CT	78
SNUBBING (SN)	82
Application SN	82
Equipment SN	82
Pressure Control	83
Surface PCE stack SN	83
Primary barrier elements SN	83
Secondary barrier elements – BOPs (ram type preventers) SN	85
Shearing devices SN	86
Other well control devices SN	86
Pressure Control (Barrier Elements and Envelopes) Principles SN	87
Other Operations - PCE stack SN	87
Safely repair or replace failed primary barrier element SN	88
PCE rig up SN	89
PCE testing SN	90
Well Intervention Operations SN	90



Operational considerations (with well control consequences) SN	90
Controlled well shut in SN	9 [,]
Loss of pressure control during well intervention operations SN	92



Guidance Notes

IWCF have created this revised syllabus using guidance from a variety of sources, including our stakeholders, candidates, and Well Intervention Pressure Control consultants. Together with the enhancements listed below, this revised syllabus aims to meet the principles outlined in IOGP Report 476 Recommendations for enhancements to well control training, examination and certification (November 2019) as a minimum.

The main enhancements contained within this revision provide:

- An improved structure that avoids duplication of topics in different syllabus components.
- In-depth learning outcomes to cover previously identified gaps in candidate knowledge.
- Defined progression between the levels, which ensures learning outcomes are now role specific.
- An increased emphasis on well integrity assurance during the well life cycle with reference to ISO 16530-1:2017 *Petroleum and natural gas industries Well integrity Part 1: Life cycle governance.*
- An improved focus on the common principles of Pressure Control Equipment (PCE), which is now consolidated within the Completion Operations component.

Who takes the Well Intervention Pressure Control course?

We recommend personnel in the following positions should attend this course:

- Level 3: Equipment operator (Wireline, Coiled Tubing, Snubbing).
- Level 3-4: Single discipline supervisor/engineer (on successful completion of Level 3 should progress to level 4).
- Level 4: Well services supervisor/completion supervisor/service leader.

IOGP Report 476 'Well control training – levels guidance chart' has more specific job categories.

How long is the course?

The Level 3 and Level 4 Well Intervention Pressure Control training courses must be a minimum of 28 hours - based on all options taken.

How many candidates can a centre have on a training course?

A course can have a maximum of fifteen candidates (depending on room size/ facilities).



When can a candidate move on from level 3 to level 4?

IWCF recommends a minimum three-month period to build further industry experience and competence before the candidate moves onto the next level. It is unacceptable for a level 3 candidate to be enrolled on a level 4 course at the same time.

The syllabus

The syllabus is designed to show progression through IWCF levels 2, 3 and 4. If a syllabus outcome is not assessed at higher levels, IWCF assumes that the candidate will have learned this knowledge at the previous IWCF level.

Testing understanding

IWCF expects candidates' knowledge and understanding of basic well intervention pressure control to develop so that they can competently perform their assigned well control duties. It is insufficient for any candidate on any level of the course to be coached to pass the assessment.

This approach follows the guidance within IOGP report 476. "Training must be taught in line with the stipulated syllabus, and it will not be sufficient to base training on "test-similar" or "test-identical" exam questions to help personnel pass the written exam. Industry accreditation bodies should assure this is not happening".

Learning objectives

The learning objectives in the syllabus are based on the content (subject matter) the instructor must teach to meet the requirements of this level. The use of the wording "learning objective" is in line with the IOGP Report 476. It is a broad overview statement of what the student will be taught during the course.

Example: During the course students will gain an understanding of: standard well intervention pressure control methods.

Learning outcomes

Learning outcomes have been developed for each of the learning objectives contained in the syllabus. The outcome indicates how each learning objective will be fulfilled with a detailed description of the skills a student must have at the end of the course. These learning outcomes are the basis for assessment questions.

For example: By the end of the course students will be able to define and list well intervention pressure control methods.

WI-SF-SNO-04



Syllabus division

The written test syllabus is divided into two sections:

Compulsory modules:

Completion operations Completion equipment.

Optional modules: Note at least one optional module must be taken.

Wireline operations ('Wireline' refers to braided line/electric line (e-line) /slickline) Coiled tubing operations Snubbing operations Subsea (refer to separate syllabus)

If a student selects subsea as an optional module refer to separate document "Well Intervention Pressure Control Subsea Module Guidance".

Coding

	Wireline operations	
WI-SF-COM-01	Wireline application and equipment	WI-SF-WLO-01
WI-SF-COM-02	Pressure control	WI-SF-WLO-02
WI-SF-COM-03	Pressure control (barrier elements and envelopes) Principles	WI-SF-WLO-03
WI-SF-COM-04	Well intervention operations	WI-SF-WLO-04
WI-SF-COM-05	·	
WI-SF-COM-06	Coiled tubing operations	
WI-SF-COM-07	Coiled tubing application and equipment	WI-SF-CTO-01
WI-SF-COM-08	Pressure control	WI-SF-CTO-02
	Pressure control (barrier elements and envelopes) principles	WI-SF-CTO-03
	Well intervention operations	WI-SF-CTO-04
WI-SF-EQP-01	·	
	Snubbing operations	
	Snubbing application and equipment	WI-SF-SNO-01
	Pressure control	WI-SF-SNO-02
	Pressure control (barrier elements and envelopes) principles	WI-SF-SNO-03
	WI-SF-COM-02 WI-SF-COM-03 WI-SF-COM-04 WI-SF-COM-05 WI-SF-COM-06 WI-SF-COM-07 WI-SF-COM-08	WI-SF-COM-02 WI-SF-COM-03 WI-SF-COM-04 WI-SF-COM-05 WI-SF-COM-05 WI-SF-COM-07 WI-SF-COM-07 WI-SF-COM-08 WI-SF-COM-07 WI-SF-COM-08 WI-SF-COM-07 WI-SF-COM-08 WI-SF

Well intervention operations



Levels

All learning outcomes have been given an 'importance' and a reference letter from A to C. This is shown in the right-hand column on the syllabus. The importance is based on their level of 'criticality' in the syllabus.

Importance level	Explanation
Α	Critical knowledge required to prevent major/catastrophic damage to life, limb, and environment or industry.
В	Necessary knowledge to prevent moderate/serious risk to life, limb, or environment.
С	Foundation-level knowledge to prevent minor risk to life, limb, or environment.

Assessment method

Level 3 and 4 Well Intervention Pressure Control candidates must complete one assessment for completion operations, one assessment for completion equipment and separate assessment papers for all optional modules taken.

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

COMPLETION OPERATIONS OVERVIEW				
Well interv	ention pressure control incidents			
WI-SF-COM-01.01.01	The impact of a well intervention pressure control incident.	Describe the potential impact of a well intervention pressure control incident on: - personnel - employment - assets - environment - operations - reputation.	Assess the potential impact of a well intervention pressure control incident on: - personnel - employment - assets - environment - operations - reputation.	A

WELL INT Principles	WELL INTEGRITY ASSURANCE Principles					
WI-SF-COM-02.01.01	Well integrity requirements throughout the well life cycle from construction to abandonment (reference: ISO 16530-1:2017).	Explain what is meant by "well integrity management". Identify the common elements of the well integrity life cycle.	Explain how an effective well integrity management system (including common elements of the well integrity life cycle) can help prevent well/pressure control incidents.	В		

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Annulus pre	Annulus pressure monitoring in well intervention					
WI-SF-COM-02.02.01	Monitoring annulus pressures.	Explain why annuli pressures are monitored: - check for loss of integrity - check for barrier leaks.	Explain why annuli pressures are monitored: - check for loss of integrity - check for barrier leaks.	С		
WI-SF-COM-02.02.02	The sources of abnormal annulus pressures and how to deal with them.	From given well data, determine the source of abnormal annulus pressure.	From given well data analyse the source of abnormal annulus pressure and explain how to bring the pressure back to normal without compromising well integrity. Explain the consequences if the annulus pressure is not brought back to normal.	С		
WI-SF-COM-02.02.03	Maximum allowable annulus surface pressure (MAASP) in well intervention operations.	Explain MAASP and how it is determined.	From a given situation, explain how to determine MAASP. Explain what conditions determine a reassessment of MAASP.	С		

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Risk manage	Risk management					
WI-SF-COM-02.03.01	Risk management principles and practices.	Explain the principles and practices of risk management including: - identifying hazards and associated risk - assessing the impact and probability of an event - actions to mitigate and control risk.	Explain how and when to use risk management principles and practices to reduce the probability and the consequences of a well intervention pressure control incident, including: - using a risk assessment matrix to assess the impact and probability of an event - ensuring risk mitigations are in place.	В		
WI-SF-COM-02.03.02	Well (pressure) control responsibilities of personnel involved in the task.	Explain well (pressure) control responsibilities including: - lines of communication - roles of personnel.	From a given situation, explain the well (pressure) control responsibilities including: - lines of communication - roles of personnel - authorisation of programmes.	А		
WI-SF-COM-02.03.03	Checklists for well (pressure) control operations.	Explain the important elements in a checklist that must be confirmed as in place and functional: - pressure control equipment (PCE) - well isolations - procedures.	From a given scenario using a checklist, assess if controls are in place and functional including: - pressure control equipment (PCE) - well isolations - procedures.	В		

April 2023	PD-0018	Version 12	Page 13 of 94
------------	---------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-02.03.04	How to use risk management principles and practices in the planning and preparation phase of well intervention pressure control.	Recognise and respond to changes during the planning and preparation phase: - well parameters - PCE configuration - use of quick test subs - operational objectives - simultaneous operations (SIMOPS).	From a given situation, recognise and respond to changes during the planning and preparation phase: - well parameters - PCE configuration - use of quick test subs - operational objectives - simultaneous operations (SIMOPS).	С

Managemen	Management of change				
WI-SF-COM-02.04.01	The management of change (MOC) process.	Explain why the MOC process is required when the approved plan cannot be followed Explain the key steps to deliver the change.	During a completion or intervention activity, assess when to use the MOC process and describe how to deliver the change.	В	

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Well (press	ure) control drills			
WI-SF-COM-02.05.01	Well (pressure) control drills during completion and intervention operations.	Explain the purpose of, and when to complete well (pressure) control drills: - to check equipment is ready - to check that team members understand their role.	Explain the purpose of, and when to complete well (pressure) control drills: - to check that equipment is ready - to check that team members understand their role - to prove team competency.	В
Well interve	ention pressure control training and	assessment		
_		Evolain "why are we here?" including:	Explain "why are we here?" including:	

Well interv	Well intervention pressure control training and assessment				
WI-SF-COM-02.06.01	Well intervention pressure control training and assessment.	 Explain "why are we here?" including: capability to apply well intervention pressure control skills trust of stakeholders responsibility to colleagues reduce the severity of a well intervention pressure control incident prevent a well intervention pressure control incident. 	 Explain "why are we here?" including: capability to apply well intervention pressure control skills trust of stakeholders responsibility to colleagues reduce the severity of a well intervention pressure control incident prevent a well intervention pressure control incident regulatory requirements/pressure control requirements. 	В	

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Well handov	Well handover			
WI-SF-COM-02.07.01	The reasons for confirming well integrity status before handover/takeover of the well.	Explain why it is important to confirm the well barrier integrity status (including upstream and downstream pressure isolation) during handover/takeover of the well.	From a given situation, assess the well barrier integrity status, (including upstream and downstream pressure isolation) during handover/takeover of the well.	A
WI-SF-COM-02.07.02	How to evaluate a well handover.	Explain the critical steps required to ensure successful well handover: - complete and correct information including well history - clear roles and responsibilities - accepting well barriers - accepting well conditions - accepting any well parameter changes - accepting and verifying surface lockouts and isolations.	From a given handover situation assess the information provided, focusing on: - complete and correct information including well history - clear roles and responsibilities - accepting well barriers - accepting well conditions - accepting any well parameter changes - accepting and verifying surface lockouts and isolations.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

INTRODU	INTRODUCTION TO WELL CONTROL				
Hydrostatic	pressure				
WI-SF-COM-03.01.01	Factors that affect hydrostatic pressure.	Explain hydrostatic pressure. Explain the factors that affect hydrostatic pressure: - true vertical depth - fluid density - temperature changes.		С	
WI-SF-COM-03.01.02	Hydrostatic pressure calculations.	Complete hydrostatic and gradient calculations including: - given a fluid density, calculate a pressure gradient - given a pressure gradient, calculate a fluid density - given a fluid density and true vertical depth (TVD) calculate a pressure - given a pressure and a TVD, calculate a fluid density - given a pressure and a fluid density, calculate a TVD - given two or more fluid densities and vertical intervals, calculate a pressure.	From a given situation, complete hydrostatic and gradient calculations including: - given a fluid density, calculate a pressure gradient - given a pressure gradient, calculate a fluid density - given a fluid density and true vertical depth (TVD) calculate a pressure - given a pressure and a TVD, calculate a fluid density - given a pressure and a fluid density, calculate a TVD - given two or more fluid densities and vertical intervals, calculate a pressure.	В	

April 2023	PD-0018	Version 12	Page 17 of 94
			9

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-03.01.03	The difference between tubing and annulus pressures.	Using given data, calculate the differential pressure at any point between the tubing and annulus.	Using given data, calculate the differential pressure at any point between the tubing and annulus. From a given differential pressure calculation, verify the result and identify possible errors.	С
Formation p	ressure			
WI-SF-COM-03.02.01	Formation pore pressure.	Explain formation pore pressure.	Explain what can cause formation pore pressure changes: - depletion - injection.	С

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Fracture pre	ssure			
WI-SF-COM-03.03.01	Fracture pressure.	Explain fracture pressure and its impact on well integrity.	From a given situation, assess how changes in fracture pressure will impact well integrity.	С
Formation in	jectivity tests			

Formation i	Formation injectivity tests						
WI-SF-COM-03.04.01	Formation injectivity tests.	Explain formation injectivity testing and why fractures can happen if fracture pressure is exceeded.	Explain formation injectivity testing and why fractures can happen if fracture pressure is exceeded.	С			

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Primary wel	(pressure) control			
WI-SF-COM-03.05.01	Primary well (pressure) control and the difference between well intervention and drilling operations.	Explain how primary well (pressure) control is used to prevent the release of fluids at surface during well intervention operations. Explain how hydrostatic pressure and formation pore pressure influence primary well control in drilling operations.	Explain how primary well (pressure) control is used to prevent the release of fluids at surface during well intervention operations. Explain how hydrostatic pressure and formation pore pressure influence primary well control in drilling operations.	В
WI-SF-COM-03.05.02	The different types of surface leaks due to loss of primary well (pressure) control.	Explain how to respond to different types of surface leaks due to loss of primary well (pressure) control including: - gas (hydrocarbon, H ₂ S, CO ₂) - stimulation/pumping fluids (including acids and alkalis) - oil - water. Explain how to mitigate exposure to these associated hazards: - temperature - pressure - fire - explosion - toxic vapours.		В

Syllabus	
Syllabus	9
Categor	v
Categor	y

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Secondary v	vell (pressure) control			
WI-SF-COM-03.06.01	Secondary well (pressure) control.	Outline the actions to achieve and maintain secondary well (pressure) control during well intervention operations.	Explain the actions to achieve and maintain secondary well (pressure) control during well intervention operations.	Α
Basic calcul	ations			
WI-SF-COM-03.07.01	The impact of pressure applied to an area.	Explain what happens when pressure is applied to a surface area. From given data, calculate:	From a given situation, assess the relationship between pressure, area and force. From given data, calculate:	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-03.07.02	Internal string and annular volumes from industry-standard displacement and capacity tables.	From industry-standard displacement and capacity tables, calculate internal string and annular volumes.	From industry-standard displacement and capacity tables, calculate internal string and annular volumes. From a given data set, verify the result and identify possible errors.	В

BARRIER	BARRIERS				
Barrier philo	sophy				
WI-SF-COM-04.01.02	Well barrier elements and well barrier envelopes in well intervention and completion operations.	From a given static situation, identify what elements can form a well barrier envelope.	From a given changing situation, identify what elements can form a well barrier envelope.	А	

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-04.01.03	Different well barrier element types.	Compare mechanical and hydrostatic (fluid) barriers. Hydrostatic (fluid) barriers: - fluid hydrostatic pressure and the relationship with formation pressure (overbalance, underbalance, at balance) - the density can be maintained (ability to circulate) - can be monitored (for losses, gains or pressure). Mechanical Barriers: - pressure test in the direction of flow - any deviations from pressure testing in the direction of flow must be risk assessed and verified.	Compare mechanical and hydrostatic (fluid) barriers. Hydrostatic (fluid) barriers: - fluid hydrostatic pressure and the relationship with formation pressure (overbalance, underbalance, at balance) - the density can be maintained (ability to circulate) - can be monitored (for losses, gains or pressure). Mechanical Barriers: - pressure test in the direction of flow - any deviations from pressure testing in the direction of flow must be risk assessed and verified.	A
WI-SF-COM-04.01.04	Barrier terminology – primary and secondary barrier elements.	From a given situation, identify primary and secondary well barriers elements during well intervention and completion operations.	From a given situation, assess the primary and secondary well barrier elements during well intervention and completion operations.	A

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-04.01.05	Grouping well barrier elements into primary and secondary barrier envelopes.	From a given well system diagram, identify the primary and secondary well barrier envelopes.	From a given well system diagram, identify the primary and secondary well barrier envelopes.	A
Barrier mana	agement			
WI-SF-COM-04.02.01	Blowout preventers (BOPs) and other pressure control equipment (PCE).	Explain the function of a BOP and other PCE (such as quick test subs) as barrier elements		В
WI-SF-COM-04.02.02	Shearing devices.	Explain the function and the location of a shearing device in a PCE stack including: - single shear ram device - shear/seal ram/valve device. Describe situations in which to activate the shearing device.	From a given situation, assess when to activate the shearing device.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-04.02.03	Non-shearable and non-sealable equipment across the BOP.	Explain what can happen when non-shearable and non-sealable equipment is across the BOP such as: - sand screens - cables - control lines - bottomhole assemblies (BHAs) - completion assemblies - perforating guns.	Explain what can happen when non-shearable and non-sealable equipment is across the BOP such as: - sand screens - cables - control lines - bottomhole assemblies (BHAs) - completion assemblies - perforating guns. From a given situation with a non-shearable and non-sealable across the BOP, explain what to do next.	Α
WI-SF-COM-04.02.04	Maintaining BOP and associated equipment integrity during operations.	Explain the factors that can affect BOP integrity during operations: - hydraulic pressure - fluid composition - maintenance.	From a given situation, explain how to prevent BOP failure during operations considering the following factors: - hydraulic pressure - fluid composition - maintenance.	Α
WI-SF-COM-04.02.05	Correct connection makes up of various joint types.	From a given situation, assess the correct make-up for specific types of connections including: - gaskets - ring joints - hammer unions - swivel connections - quick unions.	From a given situation, assess the correct make up for specific types of connections including: - gaskets - ring joints - hammer unions - swivel connections - quick unions.	С

April 2023	PD-0018	Version 12	Page 25 of 94

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-04.02.06	Correct elastomers for the well conditions.	From given well conditions, describe the correct elastomer to use.	From a given situation, explain the correct elastomer to use, and the consequences of using the incorrect type.	С
WI-SF-COM-04.02.07	BOP control system.	Explain the operating principle of a BOP control system. Explain when to use accumulators. Explain why it is important to size accumulators for the BOP function.	Explain the operating principle of a BOP control system. Explain when to use accumulators. Explain why it is important to size accumulators for the BOP function. Using given data, calculate the required accumulator capacity.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

BARRIER	VERIFICATION TESTING			
Verification				
WI-SF-COM-05.01.01	Verifying well barrier elements are in place and working.	Describe the processes to verify a well barrier element is in place and working: - confirm that it has operated correctly - continually monitor its integrity. Identify the reference sources for barrier verification criteria including: - the well programme - operations manuals.	Describe the processes to verify a well barrier element is in place and working: - confirm that it has operated correctly - continually monitor its integrity. Identify the reference sources for barrier verification criteria including: - the well programme - operations manuals - industry standards - specifications from equipment manufacturers.	В
WI-SF-COM-05.01.02	Documentation for well barrier tests.	Explain the value and purpose of well barrier test documentation. Describe the key elements of well barrier test documents: - testing procedure - documentation sign off - accurate records.	Explain the value and purpose of well barrier test documentation. Verify the criteria for well barrier test documents: - correct test procedure used - documentation sign off by the correct person - accurate records maintained.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-05.01.03	The steps required for an effective barrier element test.	Outline the appropriate steps for a barrier element test and the line-up required: - communicate with the team - ensure every team member understands the procedure - monitor and record test parameters for pressure and flow - seek test documentation approval.	From a given situation, verify the appropriate steps for a barrier element test and the line-up required: - communicate with the team - ensure every team member understands the procedure - monitor and record test parameters for pressure and flow - seek test documentation approval.	А
WI-SF-COM-05.01.04	What to do when a well barrier element test fails.	Explain the correct action to take if a well barrier element test fails: - ensure secondary barrier in place and working - repair or replace the failed barrier - re-test the barrier.	From a given situation, explain the correct action to take if a well barrier element test fails: - ensure secondary barrier in place and working - repair or replace the failed barrier - re-test the barrier.	А
WI-SF-COM-05.01.05	The need for equipment certification and checking if equipment is compatible for use.	Explain why equipment must be certified, and how to ensure it is compatible with other equipment and the well fluids.	From a given situation, verify if the equipment is certified, and if the required checks have been completed to ensure equipment and well fluid compatibility.	В

April 2023	PD-0018	Version 12	Page 28 of 94

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-05.01.06	How to check pressure control equipment (PCE).	Explain how items of a specified rig-up must be checked for: - damages - wear and tear - the intended use. Explain how critical sealing surfaces are prepared before they are installed. Explain the adaptors and connectors needed to ensure compatibility between equipment such as: - pressure rating - dimensions - tolerances - torque.	Explain how to verify that PCE is fit for purpose and ready to use: - prepare and check equipment - inspect critical sealing surfaces - check that correct seals are fitted - ensure adaptors and connectors are compatible o pressure rating o dimensions o tolerances o torque.	В
WI-SF-COM-05.01.07	The correct make up of PCE hydraulic hoses and fittings, and how to check them.	Describe the correct way to make-up different types of PCE hydraulic hoses and fittings. Explain how to check them for damage or wear, and the consequences of not replacing them.	From a given situation, assess the potential impact of incorrect PCE hydraulic hose make up, damage or wear.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Inflow testin	Inflow testing				
WI-SF-COM-05.02.01	Inflow testing a well barrier.	 Explain how to inflow test a well barrier: test barriers in direction of flow when you cannot apply positive pressure upstream of the barrier close barrier and bleed off pressure downstream use the upstream pressure as the test pressure. 	From a given configuration, assess the appropriate way to inflow test a well barrier: - test barriers in direction of flow - when you cannot apply positive pressure upstream of the barrier - close barrier and bleed off pressure downstream - use the upstream pressure as the test pressure. Assess if the inflow test results are acceptable.	А	
WI-SF-COM-05.02.02	How to interpret the volume and pressure changes that take place during the inflow test.	From a set of inflow test results, interpret the information including volume and temperature effects.	From a set of inflow test results, interpret the information including volume and temperature effects.	В	
WI-SF-COM-05.02.03	What to do if a barrier inflow test fails.	Outline how you know a well barrier inflow test has failed, and explain the immediate actions to take: - monitor for pressure and flow - identify the consequences of the test failure - describe the steps to regain primary well control.	From a given situation, verify if a well barrier inflow test has failed and explain the immediate actions to take: - monitor for pressure and flow - identify the consequences of the test failure - describe the steps to regain primary well control.	В	

April 2023 PD-0018	Version 12	Page 30 of 94
--------------------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-05.02.04	How the different fluid densities and fluid levels in the well will affect the results of a barrier inflow test.	Explain how different fluid densities and fluid levels affect the results of a barrier inflow test.	From a given situation: - assess the effect of different fluid densities and fluid levels in the well and their impact on the barrier inflow test. - assess the effect of differential pressure across the barrier and how it will affect the barrier inflow test.	Α
WI-SF-COM-05.02.05	Possible leak paths during an inflow test.	From a diagram or description, determine possible leak paths and explain the potential impact on the inflow test.	From a diagram or description, determine possible leak paths and explain the potential impact on the inflow test. From a given inflow test pressure profile, identify thermal expansion and/or flow.	Α
Equipment i	ntegrity testing			
WI-SF-COM-05.03.01	Equipment integrity testing.	Explain the reasons for equipment integrity testing, and which parameters are measured during the test. From given set of equipment integrity test results, explain if the outcome is acceptable.	Explain the reasons for equipment integrity testing, and which parameters are measured during the test. From given set of equipment integrity test results, explain if the outcome is acceptable and if not, what action to take.	А

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-05.03.02	Intervention (wireline, coiled tubing and snubbing) BOP pressure tests and function tests.	Explain how to do pressure tests and function tests on any type of intervention BOP. Explain the hazards and limits of low and high-pressure tests.	From a given situation, verify how to do pressure tests and function tests on any type of intervention BOP and assess if the test results are acceptable. Explain the hazards and limits of low and high-pressure tests.	В
WI-SF-COM-05.03.03	How to do integrity tests on specific well components/barrier elements.	Explain the correct rig-up/line-up and procedures for testing the integrity of the following components/barrier elements: - plugs - sliding sleeves - downhole safety valves - Xmas Trees - gate valves - packers - the wellhead - the annulus.	From a given situation, verify the correct rig- up/line-up and procedures for testing the integrity of the following components/barrier elements: - plugs - sliding sleeves - downhole safety valves - Xmas Trees - gate valves - packers - the wellhead - the annulus.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

INFLUX CHARACTERISTICS AND BEHAVIOUR				
Principles	I			1
WI-SF-COM-06.01.01	The different types of influx during completion operations.	Explain how to respond to the different types of influx: - gas (hydrocarbon, H ₂ S, CO ₂) - oil - water.	From a given influx scenario, assess how to respond to: - gas (hydrocarbon, H ₂ S, CO ₂) - oil - water.	В
WI-SF-COM-06.01.02	Basic gas law.	From given well conditions, calculate pressure and volume using simple gas law: P1 x V1 = P2 x V2.	From given well conditions, calculate pressure and volume using simple gas law: P1 x V1 = P2 x V2. Explain why basic gas law is important for understanding influx behaviour.	С
WI-SF-COM-06.01.03	How an influx can change as it is circulated up a well.	Describe how different types of influx can change as they are circulated up a well.	From a given situation, explain how an influx can change as it is circulated up a well.	С

April 2023 PD-0018	Version 12	Page 33 of 94
--------------------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-06.01.04	The principles of gas migration.	Explain the principles of gas migration in: - an open well - a shut-in well.	From a given situation, assess the impact of gas migration on the wellbore conditions and well integrity.	С
WI-SF-COM-06.01.05	The effect that gas migration has on wellhead pressure and bottomhole pressure (BHP).	Explain why it is important to monitor wellhead pressure and BHP immediately after the well is shut in.	From a given shut-in well situation, explain the change in wellhead pressure and BHP due to gas migration. Explain why it is important to assess pressure trends after the well is shut in.	С

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

SHUT-IN PROCEDURES				
Principles				1
WI-SF-COM-07.01.01	Why it is important to have a shut-in procedure.	Explain why it is important to have a shut-in procedure which is: - known by the well intervention crew - possible to implement - regularly practiced.		В
Procedures				
WI-SF-COM-07.02.01	How to shut in the well.	From a given situation, (primary barrier failure) explain the shut-in steps including valve sequence: - with tools in the well - without tools in the well. Explain why it is important to count the number of valve turns required to open and to close.		В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-07.02.02	How to confirm if the well is shut in.	Explain how to confirm the well is shut in, and what to do if it is not, including: - monitor fluid volumes - check valve line up - monitor flow meter - monitor pressures.	From a given situation, verify if the well is shut in, and explain what to do if it is not, including: - monitor fluid volumes - check valve line up - monitor flow meter - monitor pressures.	В
WI-SF-COM-07.02.03	The reasons for pressure change over time in a shut-in well.	Explain the causes of pressure change in a shut-in well: - pressure build up - thermal expansion - gas migration.	From a given situation, assess the causes of pressure change in a shut-in well: - pressure build up - thermal expansion - gas migration.	В
WI-SF-COM-07.02.04	Opening valves under differential pressure.	Explain the precautions to take when opening a valve under differential pressure including: - Xmas Tree valves - use of quick test subs leading to differential pressures - stinging of gate valves - correct use of low torque valves - limitations of spring/pressure-assist valves closing under low pressure.	Explain the precautions to take when opening a valve under differential pressure including: - Xmas Tree valves - use of quick test subs leading to differential pressures - stinging of gate valves - correct use of low torque valves - limitations of spring/pressure-assist valves closing under low pressure.	С

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-07.02.05	Removing (bleeding down) hydrocarbons safely from pressure control equipment (PCE).	Describe how to remove (bleed down) hydrocarbons from PCE into a safe area or use a temporary or fixed flare stack.		С
Interpretatio	n			
WI-SF-COM-07.03.02	The reasons for differences between shut-in tubing (or workstring) pressure and shut-in casing (or annulus) pressure.	For either completion or live well workstring deployment explain: Why there may be a difference between shut-in tubing (or workstring) pressure and shut-in casing (or annulus) pressure: - varying fluid properties - inaccuracy of the gauge - well deviation - tubing shoe depth - packer setting depth - circulating depth.	From a given situation (for either completion or live well workstring deployment), assess why there may be a difference between shut-in tubing (or workstring) pressure and shut-in casing (or annulus) pressure: - varying fluid properties - inaccuracy of the gauge - well deviation - tubing shoe depth - packer setting depth - circulating depth.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-07.03.03	The limits of pressure gauges and how to correctly interpret gauge readings.	From a given diagram or data set, interpret possible incorrect gauge readings, and explain the possible reasons including: - range - temperature rating - calibration.	From a given diagram or data set, interpret possible incorrect gauge readings, and explain the possible reasons including: - range - temperature rating - calibration.	В
WI-SF-COM-07.03.04	Problems with pressure gauge readings.	From a given example, verify if pressure gauges are not working properly and explain the correct action to take.	From a given example, verify if pressure gauges are not working properly and explain the correct action to take.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

WELL KIL	L METHODS			
Principles				
WI-SF-COM-08.01.01	The different well kill methods.	Describe the well kill methods, and outline the advantages and disadvantages: - bullheading - forward circulation - reverse circulation - lubricate and bleed	Explain the advantages and disadvantages of the different well kill control methods: - bullheading - forward circulation - reverse circulation - lubricate and bleed From a given scenario of well bore conditions and well data, assess the most appropriate kill method to use.	А
WI-SF-COM-08.01.02	The factors that affect the kill pump rate.	Describe the factors that affect the choice of kill pump rate such as: - formation strength - annular friction loss - well-bore conditions - fluid-handling capacity of the surface disposal system - pump limitations - choke operator reaction time.	From a given situation, assess the factors that affect the choice of kill pump rate such as: - formation strength - annular friction loss - well-bore conditions - fluid-handling capacity of the surface disposal system - pump limitations - choke operator reaction time. Explain the possible consequences of choosing the incorrect kill pump rate.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-08.01.03	A kill system.	Describe the function of the following items in a kill system: - pump unit - storage tank - mixing tank - choke unit - fluid disposal - gas handling - bleed off system - pipework.	From a given scenario, assess the kill system requirements including set up.	В
WI-SF-COM-08.01.04	Use of chokes to control flow.	Explain when different chokes are used: - fixed - adjustable.	For adjustable and fixed chokes: - explain when they would be used - from a given situation, determine where they should be positioned.	В
Forward circ	culation			
WI-SF-COM-08.02.01	The forward circulation well control method.	From a given forward circulation well kill graph (either completion or live well pipe deployment) explain the reasons for any change in line gradient.	From a given forward circulation well kill graph (either completion or live well pipe deployment) interpret pressure changes with time (or pump rate).	В

April 2023	PD-0018	Version 12	Page 40 of 94

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Reverse circ	culation			
WI-SF-COM-08.03.01	The reverse circulation well control method.	From a given reverse circulation well kill graph, explain the reasons for any change in line gradient.	From a given reverse circulation well kill graph, interpret pressure changes with time (or pump rate).	В
Well kill cald	culations			
2				

well kill calc	well kill calculations					
WI-SF-COM-08.04.01	Annulus and tubing displacement calculations.	Using given data, calculate: - the tubing/string volume - the annulus volume - the total circulating volume - the pump rate.	Using given data, calculate: - the volume pumped to displace tubing - the volume pumped to displace the annulus - the total circulating volume - the pump rate required to complete circulation.	В		

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-08.04.02	Pressure, fluid gradient and density well kill calculations.	Using given data, calculate each of the following: - The bottomhole pressure (BHP)/formation pressure - The tubing head pressure (THP) - annulus surface pressure - pressure at the point of circulation - The kill fluid gradient/density - The maximum allowable surface pressure - The pressure change per volume pumped - The maximum pump rate. Determine the working pressure for the PCE.	From a given situation, calculate each of the following: - The bottomhole pressure (BHP)/formation pressure - The tubing head pressure (THP) - Annulus surface pressure - Pressure at the point of circulation - The kill fluid gradient/density - The maximum allowable surface pressure - The pressure change per volume pumped - The maximum pump rate. Determine the working pressure for the PCE.	В
Bullheading				
OM-08.05.01	How to prepare for the bullheading method.		For a given bullheading situation that includes well configuration and well data: - explain how to prepare a pumping schedule.	В

Builneading			
WI-SF-COM-08.05.01	How to prepare for the bullheading method.	For a given bullheading situation that includes well configuration and well data: - explain how to prepare a pumping schedule. Calculate the maximum allowable surface pressure.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-COM-08.05.02	The risk of starting a fracture during bullheading.		From a given bullheading situation, assess the impact of increasing pressure and the risk of starting a fracture.	С
Lubricate an	d bleed			
WI-SF-COM-08.06.01	The lubricate and bleed method.		Explain the procedure for the lubricate and bleed method: - establish the safety margin (within the equipment rating - lubricate fluid into the well - bleed off the equivalent hydrostatic pressure of the lubricated fluid - repeat the process.	В

S	vlla	bus
	_	
C	ated	gory
	•	<i>.</i>

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Surface failu	ires			
WI-SF-COM-08.07.01	The source of surface failures and how to prevent them.	From a given scenario analyse surface failures, including the following: - leaking flange connections - leaking O-ring connections - leaking weep holes - damaged seals - damaged hydraulic control line/hoses. Explain the correct action to take before starting the job.		В
WI-SF-COM-08.07.02	Explosive decompression.	Explain: - what is meant by explosive decompression - how to recognise it - how to prevent it.	From a given situation, recognise surface and downhole explosive decompression risks and mitigations.	С

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	
Outegory	understanding of:	The student will be able to:	

Level 4 Learning outcome The student will be able to:

S
ŭ
č
~
**
_
0
Q
_
_=

Hydrates				
WI-SF-COM-08.08.01	Hydrates, how they form and how to prevent and remove them.	Describe how hydrates form: - availability of free water - combine with natural gas - high pressure - low temperature. Explain where hydrates can form and how to prevent and remove them: - avoid pressure drop across blockage or partly closed valves - use chemical inhibitors to prevent and remove them.	From a given situation, assess if hydrates are likely to form.	В
WI-SF-COM-08.08.02	The risks associated with hydrates.	Identify the risks associated with hydrates and their treatment: - restricted access - toolstring cannot be pulled out of the well - failed/blocked completion - unable to circulate - misinterpreting barriers - mismanagement of hydrate removal.	From a given situation, identify high risk operations where hydrates can form.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Blockage in	Blockage in the well					
WI-SF-COM-08.09.01	Detecting possible blockages in the well during production.	From given well data, identify possible blockages that could result in reduced production.	From given well data, identify possible blockages that could result in reduced production and assess what to do next.	В		
WI-SF-COM-08.09.02	A blockage in the well during well circulation.	From given well data, identify possible blockages in the well while circulating.	From given well data, identify possible blockages in the well while circulating and assess what to do next.	В		
WI-SF-COM-08.09.03	A blockage in the well during a well intervention operation.	From given well data, identify possible blockages in the well during a well intervention operation, and assess what to do next.	From given well data, identify possible blockages in the well during a well intervention operation, and assess what to do next.	В		

April 2023 PD-0018	Version 12	Page 46 of 94
--------------------	------------	---------------

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

	TION EQUIPMENT			
Introduction	to well completion		,	
WI-SF-EQP-01.01.01	The purpose of a well completion.	Explain the different methods of completing a well across the production or injection zone: - open hole compared to cased hole - use of liner system - vertical/highly deviated/horizontal - use of artificial lift (gas lift, electric submersible pump and sucker rod pump).	From a given situation, assess the different methods of completing a well across the production or injection zone: - open hole compared to cased hole - use of liner system - vertical/highly deviated/horizontal - use of artificial lift (gas lift, electric submersible pump and sucker rod pump).	С
WI-SF-EQP-01.01.02	Preparing for a well completion	Explain the consequences if the well is not properly cleaned before running a completion: - equipment failure - damage to the reservoir - potential for blocked lines and incorrect gauge readings.	From a given situation, assess the impact if a well is not properly cleaned before running a completion: - how the reservoir could become damaged - how equipment might fail to function - how equipment could be damaged - how test information/gauge readings could be incorrect - the potential of proven barrier failure.	А

Syllabus
Syllabus
Category
Category

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Importance

Xmas Trees	,			
WI-SF-EQP-01.02.01	The function of the Xmas Tree in pressure control.	From a given diagram or description, identify the Xmas Tree barrier elements and shearing devices and explain their function: - actuated or manually operated tree valves - master, swab and wing valves - wireline cutting ability.	From a given diagram or description of a Xmas Tree: - assess if a component of the Xmas Tree has failed - explain what to do when there is a failure.	А

Wellhead an	d tubing hanger			
WI-SF-EQP-01.03.01	The function of the wellhead and tubing hanger in pressure control.	 Explain the primary function of the wellhead and tubing hanger and how they work, including: Hanger nipple sealing mechanisms Sealing off the annulus Support the tubing weight and tubing stresses Locking or threaded profile for hanger plug Conduit for downhole functions, communications and data. From a given diagram or description, identify the wellhead and tubing hanger barrier elements: Wellhead body and seals Annulus ports/valves Casing hanger seal assemblies Tubing hanger seals Control line connections Valve replacement (VR) plugs. 	Explain the primary function of the wellhead and tubing hanger and how they work, including: - Hanger nipple sealing mechanisms - Sealing off annulus - Support tubing weight and tubing stresses - Locking or threaded profile for hanger plug - Conduit for downhole functions, communications and data - Valve replacement (VR) plugs. From a given situation with a wellhead and tubing hanger made-up and in place, assess if a barrier element has failed and explain what to do next.	В

April 2023 PD-0018 Version 12 Page 48 of 94

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Tubing inclu	iding flow couplings and tubing m	novement.		
WI-SF-EQP-01.04.01	Tubing selection, movement (compression and tension) and the use of flow couplings.	 Explain: why it is important to select the correct tubing size, weight and material type why tubing moves, and the consequences of tubing movement the methods used to manage the consequences of tubing movement why flow couplings are installed in a completion. 	From a given situation assess: - the consequences of using the incorrect tubing size, weight and material type - the consequences of tubing movement and how to manage it - where to install flow couplings in a completion.	С

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Subsurface	safety valves and annular safety v	alves		
WI-SF-EQP-01.05.01	The function of subsurface safety valve (SSSV) and annular safety valve (ASV).	Explain the primary function, use, and location of the: - surface controlled subsurface safety valve (SCSSSV) - tubing retrievable (TRSCSSSV) - wireline retrievable (WRSCSSSV) - subsurface controlled subsurface surface safety valve (SSCSSSV) - annular safety valve (ASV). Explain the procedure for: - opening non-equalising valve - opening self-equalising SSSV and ASV - testing the control line - how and when to test the valve.	Explain the primary function, use, and location of the: - surface controlled subsurface safety valve (SCSSV) - tubing retrievable (TRSCSSSV) - wireline retrievable (WRSCSSSV) - subsurface controlled subsurface surface safety valve (SSCSSSV) - annular safety valve (ASV). Explain the procedure for: - opening non-equalising valve - opening self-equalising SSSV and ASV - testing the control line - how and when to test the valve. From a given a situation with an SSSV or ASV in place, assess a failure and explain what to do next.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Side pocket	Side pocket mandrels					
WI-SF-EQP-01.06.01	The function of side pocket mandrels.	Explain the primary function of side pocket mandrels: - with a working valve (gas lift, circulation, equalising and chemical injection) installed - with a dummy valve installed.	Explain the primary function of side pocket mandrels: - with a working valve (gas lift, circulation, equalising and chemical injection) installed - with a dummy valve installed. From a given situation, assess which valve to use and explain what to do if the valve fails.	В		

Sliding sleev	Sliding sleeves, circulation and flow control devices					
WI-SF-EQP-01.07.01	The function of other circulating, communication and flow control devices.	Describe the operation of different types of circulating, communication and flow control devices and their position in the completion string: - sliding sleeves - tubing punches - flow control valve.	Describe the operation of different types of circulating, communication and flow control devices and their position in the completion string: - sliding sleeves - tubing punches - flow control valve. From a given well situation, assess how these devices work and explain what to do if the device fails.	В		

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Packers and	l associated equipment (polished b	oore receptacle (PBR) and extra-long tubing sea	ıl receptacle (ELTSR))	
WI-SF-EQP-01.08.01	The function and types of completion packers.	Explain the function of each type of completion packer, how they operate and when they are used: - retrievable - permanent - straddles - bridge plugs.	Explain the function of each type of completion packer and when they are used: - retrievable - permanent - straddles - bridge plugs. From a given well situation, assess which packer type to use, and explain what to do if the packer fails.	В
WI-SF-EQP-01.08.02	Installing and retrieving hydraulically and mechanically set completion packers.	Explain how to choose the process to install hydraulically and mechanically set packers. Explain the risks during this operation of: - surging - swabbing - pre-set failure. Explain the critical success factors for packer installation: - well conditions - well geometry compared to packer sizing - installation speed - shear pin rating - elastomer compatibility - preparation and handling at surface.	Explain how to choose the plug and/or process to install hydraulically and mechanically set packers. From a given packer installation or retrieval situation, explain the risks of: - surging - swabbing - pre-set failure - incorrect positioning.	В

April 2023	PD-0018	Version 12	Page 52 of 94
------------	---------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-EQP-01.08.03	The function of permanent packer accessories.	Explain the primary function and positioning of: - a polished bore receptacle (PBR) - a tubing seal receptacle (TSR) - an extra-long tubing seal receptacle (ELTSR) - travel joints - seal assemblies - anchor latch.	Explain the primary function and positioning of: - a polished bore receptacle (PBR) - a tubing seal receptacle (TSR) - an extra-long tubing seal receptacle (ELTSR) - travel joints - seal assemblies - anchor latch.	В
-IM		From a given diagram or description, identify the packer barrier elements.	From a given a situation with a permanent packer, assess the barrier element failure and explain what to do next.	

Landing nip	oles, plugs and wireline entry guid	des (WEGs)		
.09.01		Explain the primary function and position of completion: - landing nipples - differential plugs - positive plugs - pump through plugs.	From a given situation explain which device to use: - landing nipples - differential plugs - positive plugs - pump through plugs.	
WI-SF-EQP-01.09.01	The function of landing nipples, plugs and wireline entry guides (WEG).	Explain the limitations of each plug type, and their use as a barrier element.	Explain how plugs lock into nipples and how they maintain their integrity from above and/or below when differentials are applied.	В
WI-SF		Explain how plugs lock into nipples and how they maintain their integrity from above and/or below when differentials are applied.	From a given situation, recognise if the plug has failed as a barrier element and explain how this can affect operational integrity.	
		Explain why the position and the condition of the WEG is important.	Explain why the position and the condition of the WEG is important.	

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

		OPTIONAL TOPICS		
WIRELIN	E (WL)			
Application	WL			
WI-SF-WLO-01.01.01	When wireline is used and the different types available.	Compare the different types of wireline available: - slickline - braided line - electric line - fibre optic cable - digital slickline. For each type of wireline, explain the uses and limitations.		В
Equipment \	WL			
1.02		Explain why it is important to use the correct wireline equipment for different parameters:	From a given situation assess if the wireline	

Equipment \	WL			
WI-SF-WLO-01.01.02	Wireline equipment in different operating environments.	Explain why it is important to use the correct wireline equipment for different parameters: - pressure ratings - flow - fluid composition - temperature - connection compatibility - compatibility with external systems.	From a given situation assess if the wireline equipment is suitable for different parameters: - pressure ratings - flow - fluid composition - temperature - connection compatibility compatibility with external systems.	В

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

	PRESSURE CONTROL Surface PCE stack WL				
WI-SF-WLO-02.01.01	PCE required for wireline operations.	Explain the function and positioning of the surface PCE components required for different wireline operations: - slickline - braided line - electric line - fibre optic cable - digital slickline.	From a given situation, assess the surface PCE components required and explain their function for different wireline operations: - slickline - braided line - electric line - fibre optic cable - digital slickline.	A	

Primary barrie	r elements WL		
	Primary barrier elements used during wireline operations.	Describe the function and positioning of primary barrier elements used during different wireline operations: - slickline - braided line - electric line - fibre optic cable - digital slickline. Outline potential limitations of wireline primary barrier elements: - height limitations - access for maintenance.	Α

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-WLO-02.02.02	Slickline primary barrier sealing elements and how to operate them correctly.	Explain how the slickline primary barrier sealing element functions, with: - operating pressures - hydraulic connections - the risk of contamination/chemical issues. Explain how the internal stuffing box BOP or plunger will operate.		А
WI-SF-WLO-02.02.03	Braided line / electric line primary barrier sealing elements and how to operate them correctly.	Explain how the braided line / electric line barrier sealing element functions, with: - operating pressures - hydraulic connections - the risk of contamination/chemical issues including grease injection. Explain how the internal grease injection head BOP or ball check valve will operate.		А
WI-SF-WLO-02.02.04	Primary barrier sealing element (braided line / electric line / slickline) integrity during wireline operations.	Explain the factors that can affect the primary barrier sealing element integrity during wireline operations: - hydraulic pressure - roughness of the wireline - broken strand - fluid composition - maintenance - running speeds.	From a given situation, explain how to prevent primary barrier sealing element failure considering the following factors: - hydraulic pressure - roughness of the wireline - broken strand - fluid composition - maintenance - running speeds.	А

April 2023	PD-0018	Version 12	Page 56 of 94

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Secondary barrier elements – BOPs (ram type preventers) WL				
WI-SF-WLO-02.03.01	Secondary barrier elements (wireline BOPs) used during wireline operations.	Describe the function and positioning of secondary barrier elements (wireline BOPs) used during wireline operations and its operating limits including potential for failure: - slickline - braided line - electric line - fibre optic cable - digital slickline.	From a given diagram, assess if the wireline BOP space out and configuration is suitable for the operation.	A
WI-SF-WLO-02.03.02	BOP ram configurations for different types of wireline.	From a given situation, identify the required changes to the wireline BOP ram configuration for: - changes to cable diameter and type - different fluid composition - changes to pressure and temperature.	From a given situation, assess the required changes to the wireline BOP ram configuration for: - changes to cable diameter and type - different fluid composition - changes to pressure and temperature.	A
WI-SF-WLO-02.03.03	How to operate secondary barrier elements (slickline BOPs).	Explain how to operate secondary barrier elements (slickline BOPs) during wireline operations: - operating pressures - hydraulic connections - the risk of contamination/chemical issues.	From a given situation, explain the actions to take if the secondary barrier elements (slickline BOPs) fail to seal or function.	A

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-WLO-02.03.04	How to operate secondary barrier elements (braided line/electric line BOPs).	Explain how to operate secondary barrier elements (braided line/electric line BOPs) during wireline operations. Explain why rams are inverted.	From a given situation, explain the actions to take if the secondary barrier elements (braided line/electric line BOPs) fail to seal or function.	А
Shearing de	vices WL			
WI-SF-WLO-02.04.01	Wireline shearing devices.	Explain the function, positioning and operating limits of wireline: - shear ram - shear/seal ram/valve - wirecutting valve. Explain when to use wireline: - shear ram - shear/seal ram/valve - wirecutting valve.	Explain the function, positioning and operating limits of wireline: - shear ram - shear/seal ram/valve - wirecutting valve. Explain the consequences of wire fall back and the toolstring straddling the tree valves or the SSSV. From a given situation, assess why and when to use wireline: - shear ram - shear/seal ram/valve - wirecutting valve.	В

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

PRESSUF	PRESSURE CONTROL (BARRIER ELEMENTS AND ENVELOPES) PRINCIPLES WL				
WI-SF-WLO-03.01.01	Grouping barrier elements into barrier envelopes during wireline operations.	From a given wireline situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes.	From a given changing wireline situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes. Assess from a given barrier configuration and PCE design if the wireline operation can be completed safely. Assess where potential leak paths may develop.	А	

Other operat	tions - PCE stack WL			
WI-SF-WLO-03.02.01	The PCE rig-up during wireline fishing operations.	Explain the function of surface PCE specific for wireline fishing operations. Identify limitations and what additional equipment might be required.	From a given situation, assess the limitations and PCE required for wireline fishing operations.	В

SVI	labus
- Jyı	iabus
Cat	egory
Out	cgoi

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Safely repair	Safely repair or replace a failed primary barrier element WL					
WI-SF-WLO-03.03.01	Secondary barrier elements and envelopes for slickline operations if a primary barrier element fails.	Explain the correct actions to take if a primary barrier element fails during slickline operations. Describe how and when to apply the secondary barrier elements/envelopes considering: - equipment operating limits - testing after closure - monitoring for pressure - double barrier protection.	From a given situation, explain the correct actions to take if a primary barrier element fails during slickline operations considering: - how to maintain double barrier protection - operating limits of secondary barrier element - ability to verify barrier envelope integrity.	A		
WI-SF-WLO-03.03.02	Secondary barrier elements and envelopes for braided line/electric line operations if a primary barrier element fails.	Explain the correct actions to take if a primary barrier element fails during braided line/electric line operations. Describe how and when to apply the secondary barrier elements/envelopes considering: - equipment operating limits - testing after closure - monitoring for pressure - double barrier protection.	From a given situation, explain the correct actions to take if a primary barrier element fails during braided line/electric line operations considering: - how to restore double barrier protection - operating limits of secondary barrier element - ability to verify barrier envelope integrity.	A		

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

PCE rig up V	PCE rig up WL					
WI-SF-WLO-03.04.01	The equipment required for a safe and compatible wireline PCE rigup.	Explain which PCE is required to complete a safe and compatible wireline rig-up.	Analyse given information on the PCE stack, and explain which equipment is required to complete a safe and compatible wireline rig-up.	A		

PCE testing	WL			
WI-SF-WLO-03.05.01	The specific requirements for pressure testing/function testing PCE including wireline BOPs, shear/seal BOPs and valves.	Explain how to do pressure tests and function tests on the PCE with wire in place.	From a given situation, verify how to do pressure tests and function tests on the PCE with wire in place, and assess if the test results are acceptable.	А
WI-SF-WLO-03.05.02	Testing the BOP with test rods.	Explain how to test the wireline BOP with test rods. Explain why it is important to use the correct test rods.	From a given situation, verify how to test the wireline BOP with test rods and assess if the test results are acceptable. Explain why it is important to use the correct test rods.	А

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

	WELL INTERVENTION OPERATIONS WL Operational Considerations (with well control consequences) WL				
WI-SF-WLO-04.01.01	The reason for wireline drift runs.	Explain why it is important to run a suitable wireline drift to ensure the target depth can be reached without becoming stuck.		С	
WI-SF-WLO-04.01.02	Surface controlled subsurface safety valve (SCSSSV) integrity during a wireline operation.	Explain why it is important that the SCSSSV is held open, and why it must be monitored throughout the operation.	From a given situation, explain what actions to take to maintain SCSSSV integrity.	В	

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-WLO-04.01.03	Use and limitations of wireline cutter bars.	Explain how to use wireline cutter bars and the risks when using them. Explain what to do if there is not enough toolstring weight to act against the well pressure.	From a given situation, explain when and how to use wireline cutter bars. How to identify risks and ensure mitigations are in place. Explain what to do if there is not enough toolstring weight to act against the well pressure.	С
WI-SF-WLO-04.01.04	Force created by well pressure, flow and conditions compared to toolstring/cable weight.	Explain the force created by well pressure, flow and conditions. Identify when this could be a problem.	Explain the effects of flow and well condition changes on the toolstring. Describe the steps required to manage the problem.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Controlled w	Controlled well shut in WL				
WI-SF-WLO-04.02.01	Toolstring positioning across the wireline BOP.	From a given diagram or description, assess wireline BOP space out considering toolstring positioning, and identify potential problems.	From a given diagram or description, assess a toolstring position/wireline BOP space out problem and what actions to take.	Α	
WI-SF-WLO-04.02.02	Operating a wireline BOP.	Outline how to operate a wireline BOP when: - installing a wireline cutter bar - managing a wireline fish at surface.	From a given situation, assess how to operate a wireline BOP when: - installing a wireline cutter bar - managing a wireline fish at surface.	A	
WI-SF-WLO-04.02.03	How to shut in the well quickly and safely with or without wireline in the well.	Explain how to safely shut in the well during a wireline operation: - with wireline in the well - without wireline in the well - with tools positioned at surface.	From a given situation assess how to safely shut in the well during a wireline operation: - with wireline in the well - without wireline in the well - with tools positioned at surface.	A	

April 2023 PD-0018	Version 12 Page 64 of 94
--------------------	--------------------------

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Loss of pres	Loss of pressure control during well intervention operations WL				
WI-SF-WLO-04.03.01	What to do if there are defects that could affect BOP function during a wireline operation.	From a given diagram or description of a wireline BOP, explain what to do when a defect occurs: - leaking flange/fitting connections - leaking O-ring connections - leaking weep holes - damaged seals - grease system in braided line.	From a given diagram or description of a wireline BOP, explain what to do when a defect occurs: - leaking flange/fitting connections - leaking O-ring connections - leaking weep holes - damaged seals - grease system in braided line. Explain the further actions required once the situation is made safe.	Α	
WI-SF-WLO-04.03.02	What to do if there is a failure in one component of the PCE during a slickline operation.	Explain how to make the situation safe while maintaining control of the well if there is a failure in one component of the PCE during a slick line operation.	Assess what to do if there is a failure in one component of the PCE during a slickline operation, and explain the further actions required once the situation is made safe.	Α	
WI-SF-WLO-04.03.03	What to do if there is a failure in one component of the PCE during a braided line/electric line operation.	Explain how to make the situation safe while maintaining control of the well if there is a failure in one component of the PCE during a braided line/electric line operation.	Assess what to do if there is a failure in one component of the PCE during a braided line/electric line operation, and explain the further actions required once the situation is made safe.	A	

April 2023	PD-0018	Version 12	Page 65 of 94
------------	---------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-WLO-04.03.04	What to do if the wire is damaged during a wireline operation.	Explain how to make the situation safe while maintaining control of the well if the wire is damaged during a wireline operation.	From a given situation, assess what to do if the wire is damaged during a wireline operation, and explain the further actions required once the operation is made safe.	В
WI-SF-WLO-04.03.05	What to do if there is a hydraulic control line leak on the Xmas Tree hydraulic master valve during a wireline operation.	Explain how to make the situation safe while maintaining control of the well if there is a hydraulic control line leak on the Xmas Tree hydraulic master valve during a wireline operation.	From a given situation, assess what to do if there is a hydraulic control line leak on the Xmas Tree hydraulic master valve during a wireline operation, and explain the further actions required once the operation is made safe.	В
WI-SF-WLO-04.03.06	What to do if the hydraulic control line of the SCSSSV leaks during a wireline operation.	Explain how to make the situation safe while maintaining control of the well if there is a leak on the SCSSV hydraulic control line during a wireline operation.	From a given situation, assess what to do if there is a leak on the SCSSV hydraulic control line during a wireline operation, and explain the further actions required once the operation is made safe.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-WLO-04.03.07	What to do if the BOP hydraulic control unit or hoses fail during a wireline operation.	Explain how to make the situation safe while maintaining control of the well if the BOP hydraulic control unit or hoses fail during a wireline operation.	From a given situation, assess what to do if the BOP hydraulic control unit or hoses fail during a wireline operation and explain the further actions required once the operation is made safe.	А
WI-SF-WLO-04.03.08	What to do if wire or cable breaks and falls downhole during a wireline operation.	Explain how to make the situation safe while maintaining control of the well if wire or cable breaks and falls downhole during a wireline operation.	From a given situation, assess what to do if wire or cable breaks and fall downhole during a wireline operation, and explain the further actions required once the operation is made safe.	В
WI-SF-WLO-04.03.09	What to do if an alarm sounds when wireline is in the well and you are required to muster in a safe area.	Explain how to make the operation safe while maintaining control of the well if an alarm sounds and you are required to muster in a safe area when wireline is in the well.	From a given situation, assess what to do if an alarm sounds and you are required to muster in a safe area when wireline is in the well and explain the further actions required once the operation is made safe.	В

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

COILED 1 Application	TUBING (CT)			
WI-SF-CTO-01.01.01	When coiled tubing is used.	Explain the uses and limitations of coiled tubing.		В
Equipment (CT			
.01.02.01		Explain why it is important to use the correct coiled tubing equipment for different parameters: - pressure ratings	From a given situation assess if the coiled tubing equipment is suitable for different parameters: - pressure ratings	

0		Colleg tubility equipment for different	tubility equiprilent is suitable for different		
)2.		parameters:	parameters:		
1.0		 pressure ratings 	 pressure ratings 		
0-0	The coiled tubing equipment in	- flow	- flow		
TC:	different operating environments.	- fluid composition	- fluid composition	В	
0-		- temperature	- temperature		
-SF		- connection compatibility	- connection compatibility		
Ň		- compatibility with external systems.	- compatibility with external systems.		
					l

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

rface PC	E stack CT		
WI-SF-CTO-02.01.01	PCE required for coiled tubing operations.	Explain the function and positioning of the surface PCE components required for coiled tubing operations.	From a given situation, assess the surface PCE components required and explain their function for coiled tubing operations.
imary ba	rrier elements CT		
WI-SF-CTO-02.02.01	Primary barrier elements (strippers) used during coiled tubing operations.	Describe the function and positioning of primary barrier elements (strippers) used during coiled tubing operations:	

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-CTO-02.02.02	Coiled tubing primary barrier sealing elements (strippers) and how to operate them correctly.	Explain how the coiled tubing primary barrier sealing element will operate: - using well pressure assistance on closing - using operating pressures - with hydraulic connections.		A
WI-SF-CTO-02.02.03	Primary barrier sealing element integrity during coiled tubing operations.	Explain the factors that can affect primary barrier sealing elements integrity during coiled tubing operations: - hydraulic pressure - roughness of the coiled tubing - fluid composition - maintenance - running speeds.	From a given situation, explain how to prevent primary barrier sealing element failure during coiled tubing operations considering the following factors: - hydraulic pressure - roughness of the coiled tubing - fluid composition - maintenance - running speeds.	А

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Secondary b	barrier elements – BOPs (ram type preventers) CT				
WI-SF-CTO-02.03.01	Secondary barrier elements (coiled tubing BOPs) used during coiled tubing operations.	Describe the function and positioning of secondary barrier elements (coiled tubing BOPs) used during coiled tubing operations and their operating limits, including potential for failure: - combi - triple - quad.	From a given diagram, assess if the coiled tubing BOP space out and configuration is suitable for the operation.	Α	
WI-SF-CTO-02.03.02	BOP ram configurations for different coiled tubing operations.	From a given situation, identify the required changes to the coiled tubing BOP ram configuration for: - changes to coil tubing diameter and type - different fluid composition - changes to pressure and temperature.	From a given situation, assess the required changes to the coiled tubing BOP ram configuration for: - changes to coil tubing diameter and type - different fluid composition - changes to pressure and temperature.	Α	

April 2023	PD-0018	Version 12	Page 71 of 94
------------	---------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-CTO-02.03.03	How to operate secondary barrier elements (coiled tubing BOPs).	Explain how to operate secondary barrier elements (coiled tubing BOPs) during coiled tubing operations including: - closing and operating sequences - with operating pressures - lining up with hydraulic connections.	From a given situation, explain the correct actions to take if the secondary barrier elements (coiled tubing BOPs) fail to seal or function.	A
Shearing de	vices CT			
WI-SF-CTO-02.04.01	Coiled tubing shearing devices.	Explain the function, positioning and operating limits of coiled tubing - shear ram - shear/seal ram/valve. Explain when to use coiled tubing: - shear ram - shear/seal ram/valve.	Explain the function, positioning and operating limits of coiled tubing: - shear ram - shear/seal ram/valve. From a given situation, assess why and when to use: - shear ram - shear/seal ram/valve.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Other well co	ontrol devices CT			ı
WI-SF-CTO-02.05.01	Downhole check valves (backpressure valves) in a bottomhole assembly (BHA) during coiled tubing operations.	Explain the positioning of downhole check valves (backpressure valves) in a coiled tubing BHA and how to test them. Outline the advantages and disadvantages of using downhole check valves (backpressure valves) in a coiled tubing BHA.	From a given situation assess the positioning of downhole check valves (backpressure valves) in a coiled tubing BHA and how to test them. Outline the advantages and disadvantages of using downhole check valves (backpressure valves) in a coiled tubing BHA.	A

PRESSUR	RE CONTROL (BARRIER EL	EMENTS AND ENVELOPES) PRINCIP	PLES CT	
WI-SF-CTO-03.01.01	Grouping barrier elements into barrier envelopes during coiled tubing operations.	From a given coiled tubing situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes.	From a given changing coiled tubing situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes. Assess from a given barrier configuration and PCE design if the coiled tubing operation can be completed safely. Assess where potential leak paths may develop.	Α

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Other operat	tions - PCE Stack CT			
WI-SF-CTO-03.02.01	A coiled tubing pressurised deployment system.	Describe when a coiled tubing pressurised deployment system is used. Explain the barrier configuration and PCE design required to maintain the double barrier philosophy.	From a given situation, assess when a coiled tubing pressurised deployment system is used. Explain the barrier configuration and PCE design required to maintain the double barrier philosophy.	В
WI-SF-CTO-03.02.02	Annular preventer use during coiled tubing operations.	Describe when an annular preventer would be used during a coiled tubing operation.	Explain how and why an annular preventer is used during a coiled tubing operation, and its operating limits.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Safely repair	Safely repair or replace a failed primary barrier element CT				
WI-SF-CTO-03.03.01	Maintaining a double barrier when changing a coiled tubing stripper rubber during intervention operations.	Explain the requirements for maintaining a double barrier when changing coiled tubing stripper rubbers during intervention operations.	From a given situation, assess how to maintain a double barrier when changing coiled tubing stripper rubbers during intervention operations.	Α	
WI-SF-CTO-03.03.02	Secondary barrier elements and envelopes for coiled tubing operations if a primary barrier element fails.	Explain the correct actions to take if a primary barrier element fails during coiled tubing operations. Describe how and when to apply the secondary barrier elements/envelopes considering: - equipment operating limits - testing after closure - monitoring for pressure - double barrier protection.	From a given situation, explain the correct actions to take if a primary barrier element fails during coiled tubing operations considering: - how to restore double barrier protection - operating limits of secondary barrier element - ability to verify barrier envelope integrity.	Α	

Syllabus
Syllabus
Category
outogo. y

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

PCE rig up C	PCE rig up CT				
WI-SF-CTO-03.04.01	The equipment required for a safe and compatible coiled tubing PCE rig-up.	Explain which PCE is required to complete a safe and compatible coiled tubing rig-up.	Analyse given information of the PCE stack, and explain which equipment is required to complete a safe and compatible coiled tubing rig-up.	Α	
PCE testing	СТ				
WI-SF-CTO-03.05.01	PCE pressure tests and function tests with coiled tubing in place.	Explain how to do pressure tests and function tests on the PCE with coiled tubing in place.	From a given situation, verify how to do pressure tests and function tests on the PCE with coiled tubing in place and assess if the test results are acceptable.	А	

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

	ERVENTION OPERATIONS			
Operational	Considerations (with well control	consequences) CT		1
WI-SF-CTO-04.01.01	The operational limits of coiled tubing.	Explain the operational limits of coiled tubing due to: - wear and fatigue by cycling - different well conditions - pull and drag due to well geometry.	From a given situation, assess if the coiled tubing is suitable to use by considering: - wear and fatigue by cycling - different well conditions - pull and drag due to well geometry.	В
WI-SF-CTO-04.01.02	The forces on coiled tubing created by well pressure.	Explain the forces on the coiled tubing caused by well pressure, flow and conditions to create: - buckling - collapse.	Explain the effects of flow and well condition changes on the coiled tubing. Describe the steps required to manage the forces produced during: - buckling - collapse.	В

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Controlled w	Controlled well shut in CT				
WI-SF-CTO-04.02.01	Coiled tubing shear ram equipment operating limits.	From a given diagram or description, identify the coiled tubing non-shearable components sand screens - perforating guns - BHA tools and components.	From a given diagram or description, assess what action to take if there is a non-shearable component across the BOP: - sand screens - perforating guns - BHA tools and components.	Α	
WI-SF-CTO-04.02.02	How to shut in the well quickly and safely with or without coiled tubing in the well.	Explain how to safely shut in the well during a coiled tubing operation: - with coiled tubing in the well - without coiled tubing in the well - with BHA tools and components positioned at surface.	From a given situation, assess how to safely shut in the well during a coiled tubing operation: - with coiled tubing in the well - without coiled tubing in the well - with BHA tools and components positioned at surface.	Α	

Loss of pres	ssure control during well intervent	tion operations CT		
WI-SF-CTO-04.03.01	How to identify defects that could affect BOP function during a coiled tubing operation.	From a given diagram or description of a coiled tubing BOP, explain what to do when a defect occurs: - leaking flange/fitting connections - leaking O-ring connections - leaking weep holes - damaged seals.	From a given diagram or description of a coiled tubing BOP, explain what to do when a defect occurs: - leaking flange/fitting connections - leaking O-ring connections - leaking weep holes - damaged seals. Explain the further actions required once the situation is made safe.	A

April 2023 PD-00	Version 12	Page 78 of 94
------------------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-CTO-04.03.02	What to do if the power unit, injector head, tubing reel or control system fails during a coiled tubing operation.	Explain how to make the situation safe while maintaining control of the well if the power unit, injector head, tubing reel or control system fails during a coiled tubing operation.	From a given situation, assess what to do if the power unit, injector head, tubing reel or control system fails during a coiled tubing operation, and explain the further actions required once the situation is made safe.	В
WI-SF-CTO-04.03.03	What to do if the pumping or circulation system fails during a coiled tubing operation.	Explain how to make the situation safe while maintaining control of the well if the pumping or circulation system fails during a coiled tubing operation.	From a given situation, assess what to if the pumping or circulation system fails during a coiled tubing operation, and explain the further actions required once the situation is made safe.	В
WI-SF-CTO-04.03.04	What to do if the coiled tubing leaks at surface.	Explain how to make the situation safe while maintaining control of the well if the coiled tubing leaks at surface during a coiled tubing operation: - between the stripper and the injector - between the gooseneck and the reel - with corrosive fluids - with non-corrosive fluids.	From a given situation, assess how to make the situation safe while maintaining control of the well if the coiled tubing leaks at surface during a coiled tubing operation: - between the stripper and the injector - between the gooseneck and the reel - with corrosive fluids - with non-corrosive fluids.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-CTO-04.03.05	What to do if there is an external leak between the safety head and the Xmas Tree while coiled tubing is below the SSSV.	Explain how to make the situation safe while maintaining control of the well if there is an external leak between the safety head and the Xmas Tree while coiled tubing is below the SSSV.	From a given situation, assess what to do if there is an external leak between the safety head and the Xmas Tree while coiled tubing is below the SSSV, and explain the further actions required once the operation is made safe.	В
WI-SF-CTO-04.03.06	What to do if the coiled tubing downhole check valves (backpressure valves) leak while in the well during a coiled tubing operation.	Explain how to make the operation safe while maintaining control of the well if the coiled tubing downhole check valves (backpressure valves) leak while in the well during a coiled tubing operation	From a given situation, assess what to do if the coiled tubing downhole check valves (backpressure valves) leak while in the well during a coiled tubing operation and explain the further actions required once the operation is made safe.	В
WI-SF-CTO-04.03.07	What to do if the coiled tubing leaks below the stripper during a coiled tubing operation.	Explain how to make the operation safe while maintaining control of the well if the coiled tubing leaks below the stripper during a coiled tubing operation.	From a given situation, assess what to do if the coiled tubing leaks below the stripper during a coiled tubing operation and explain the further actions required once the operation is made safe.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance	
WI-SF-CTO-04.03.08	What to do if an alarm sounds when coiled tubing is in the well and you are required to muster in a safe area.	Explain how to make the operation safe while maintaining control of the well if an alarm sounds and you are required to muster in a safe area when coiled tubing is in the well.	From a given situation, assess what to do if an alarm sounds and you are required to muster in a safe area when coiled tubing is in the well and explain the further actions required once the operation is made safe.	В	
WI-SF-CTO-04.03.09	What to do if the coiled tubing breaks on surface or downhole during a coiled tubing operation.	Explain how to make the operation safe while maintaining control of the well if the coiled tubing breaks during a coiled tubing operation: - on surface - downhole.	From a given situation, assess what to do if the coiled tubing breaks during a coiled tubing operation and explain the further actions required once the operation is made safe: - on surface - downhole.	A	
WI-SF-CTO-04.03.10	What to do if there is a leak at the rotating joint during a coiled tubing operation.	Explain how to make the operation safe while maintaining control of the well if there is a leak at the rotating joint during a coiled tubing operation.	From a given situation, assess what to do if there is a leak at the rotating joint during a coiled tubing operation, and explain the further actions required once the operation is made safe.	В	

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

SNUBBIN Application	SNUBBING (SN) Application SN					
WI-SF-SNO-01.01.01	When snubbing is used.	Explain the uses and limitations of snubbing.		В		
Equipment	SN					
WI-SF-SNO-01.02.01	The snubbing equipment in different operating environments.	Explain why it is important to use the correct snubbing equipment for different parameters: - pressure ratings - flow - fluid composition - temperature - connection compatibility. compatibility with external systems.	From a given situation assess if the snubbing equipment is suitable for different parameters: - pressure ratings - flow - fluid composition - temperature - connection compatibility compatibility with external systems.	В		

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

	PRESSURE CONTROL Surface PCE stack SN					
WI-SF-SNO-02.01.01	PCE required for snubbing operations.	Explain the function and positioning of the surface PCE components required for snubbing operations.	From a given situation, assess the surface PCE components required and explain their function for snubbing operations.	А		
Primary barr	rier elements SN					
WI-SF-SNO-02.02.01	Primary barrier elements used during snubbing operations.	Describe the function and positioning of primary barrier elements used during snubbing operations: - stripper bowl or annular preventer - upper and lower stripping BOP rams. Outline the potential limitations of snubbing primary barrier elements: - potential for buckling - height limitations - access for maintenance.		А		

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-SNO-02.02.02	Snubbing primary barrier sealing elements and how to operate them correctly	Explain how the snubbing primary barrier sealing elements will operate: - with well pressure assistance on closing - with operating pressures - with operating temperature - type of fluid (oil, gas or water) - condition of tubulars and connections - pipe rotation - with running speeds.		A
WI-SF-SNO-02.02.03	Primary barrier sealing element integrity during snubbing operations.	Explain the factors that can affect primary barrier sealing element integrity during snubbing operations: - hydraulic pressure - roughness of the workstring - fluid composition - maintenance - running speeds.	From a given situation, explain how to prevent primary barrier sealing element failure during snubbing operations considering the following factors: - hydraulic pressure - roughness of the workstring - fluid composition - maintenance - running speeds.	Α

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Secondary b	Secondary barrier elements – BOPs (ram type preventers) SN					
WI-SF-SNO-02.03.01	Secondary barrier elements (snubbing BOPs) used during snubbing operations.	Describe the function and positioning of secondary barrier elements (snubbing BOPs) used during snubbing operations, and their operating limits, including potential for failure: - annular BOPs - pipe ram/safety BOPs variable bore rams (VBRs)	From a given diagram, assess if the snubbing BOP space out and configuration is suitable for the operation.	Α		
WI-SF-SNO-02.03.02	BOP ram configurations for different snubbing operations.	For a given situation, identify the required changes to the snubbing BOP ram configuration for: - changes to tubular diameter and type - different fluid composition - changes to pressure and temperature.	For a given situation, assess the required changes to the snubbing BOP ram configuration for: - changes to tubular diameter and type - different fluid composition - changes to pressure and temperature.	Α		
WI-SF-SNO-02.03.03	How to operate secondary barrier elements (snubbing BOPs) including annular BOPs and pipe ram/safety BOPs.	Explain how to operate the secondary barrier elements (snubbing/variable/annular/pipe ram/safety BOPs) during snubbing operations including: - closing and operating sequences - operating pressures - lining up and hydraulic connections.	From a given situation, explain the correct actions to take if the secondary barrier elements (snubbing/variable/annular/pipe ram/safety BOPs) fail to seal or function.	Α		

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Shearing de	ring devices SN			
WI-SF-SNO-02.04.01	Snubbing shearing devices.	Explain the function, positioning and operating limits of snubbing: - shear ram - shear/seal ram/valve. Explain when to use a snubbing: - shear ram - shear/seal ram/valve.	Explain the function, positioning and operating limits of snubbing: - shear ram - shear/seal ram/valve. From a given situation, explain why and when to use a snubbing: - shear ram - shear/seal ram/valve.	В

Other well co	Other well control devices SN					
WI-SF-SNO-02.05.01	Downhole check valves (backpressure valves) used during snubbing operations.	Explain the positioning of downhole check valves (backpressure valves) in a snubbing BHA and how to test them. Outline the advantages and disadvantages of using downhole check valves (backpressure valves) in a snubbing BHA.	From a given situation assess the positioning of downhole check valves (backpressure valves) in a snubbing BHA and how to test them. Outline the advantages and disadvantages of using downhole check valves (backpressure valves) in a snubbing BHA.	Α		
WI-SF-SNO-02.05.02	The need for and the use of alternative and additional internal well control devices in snubbing operations.	Explain the use and positioning of various alternative and additional internal well control devices including: - stab-in safety valves - internal BOPs - pump down plugs - pump out devices.	From a given situation compare the use of various internal well control devices including: - stab-in safety valves - internal BOPs - pump down plugs - pump out devices. Explain where to position the devices in the string and justify reasoning.	В		

April 2023 PD-0018	Version 12	Page 86 of 94
--------------------	------------	---------------

Learning objective.
The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

PRESSUR	PRESSURE CONTROL (BARRIER ELEMENTS AND ENVELOPES) PRINCIPLES SN					
WI-SF-SNO-03.01.01	Grouping barrier elements into barrier envelopes during snubbing operations.	From a given snubbing situation or surface rigup diagram, identify which are primary and secondary barrier elements and group them into envelopes.	From a given changing snubbing situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes. Assess from a given barrier configuration and PCE design if the snubbing operation can be completed safely. Assess where potential leak paths may develop.	Α		

Other Opera	tions - PCE stack SN			
WI-SF-SNO-03.02.01	A snubbing pressurised deployment system.	Describe when a snubbing pressurised deployment system is used. Explain the barrier configuration and PCE design required to maintain the double barrier philosophy.	From a given situation, assess when a snubbing pressurised deployment system is used. Explain the barrier configuration and PCE design required to maintain the double barrier philosophy.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-SNO-03.02.02	Changes to ram equipment for different pipe sizes including tapered string.	Describe the ram equipment required for different pipe sizes including tapered string. Explain how to change the rams at the changeover from one size to another.	From a given description or diagram, assess the ram equipment required for a specific tapered string operation. Explain how to change the rams at the changeover from one size to another.	В
Safely renair	or replace failed primary barrier el	ement SN		1
WI-SF-SNO-03.03.01	The reasons for changing worn elastomers.	Explain the steps to make the well safe when changing out sealing elements within the stack. Explain why it is important to maintain two barriers.	Explain the steps required to make the well safe when changing out sealing elements within the stack. Explain why it is important to maintain two barriers.	А
WI-SF-SNO-03.03.02	Secondary barrier elements and envelopes for snubbing if a primary barrier element fails.	Explain the correct actions to take if a primary barrier element fails during snubbing operations. Describe how and when to apply the secondary barrier elements/envelopes considering: - equipment operating limits - testing after closure - monitoring for pressure - double barrier protection.	From a given situation, explain the correct actions to take if a primary barrier element fails during snubbing operations considering: - How to restore double barrier protection - operating limits of secondary barrier element - ability to verify barrier envelope integrity.	А

April 2023 PD-0018	Version 12	Page 88 of 94
--------------------	------------	---------------

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-SNO-03.03.03	Maintaining a double barrier when changing the primary barrier element during intervention.	Explain how to maintain double barriers when changing the primary barrier element during intervention. - Annular element - Stripper bowl element - Stripping BOP rams From a diagram or description of changing the element, identify the barriers.	Explain how to maintain double barriers when changing the primary barrier element during intervention. - Annular element - Stripper bowl element - Stripping BOP rams From a diagram or description of changing the element, identify the barriers.	A
PCE rig up S	SN			
SNO-03.04.01	The equipment required for a safe and compatible snubbing PCE rigup.	Explain which PCE is required to complete a safe and compatible snubbing rig-up.	Analyse given information of the PCE stack, and explain which equipment is required to complete a safe and compatible snubbing rigup.	A

Syllabus
Syllabus
Category
outogo. j

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

PCE testing	PCE testing SN					
WI-SF-SNO-03.05.01	PCE pressure tests and function tests with the workstring in place.	Explain how to do pressure tests and function tests on the PCE with the workstring in place.	From a given situation, verify how to do pressure tests and function tests on the PCE with the workstring in place, and assess if the test results are acceptable.	A		

WELL INT	WELL INTERVENTION OPERATIONS SN				
Operational	considerations (with well control	consequences) SN			
WI-SF-SNO-04.01.01	The forces on the workstring created by well pressure.	Explain the forces on the workstring created by well pressure, flow and conditions to produce: - pipe light and pipe heavy - buckling. Explain the procedure of transition from pipe light to pipe heavy and from pipe heavy to pipe light.	Explain the effects of flow and well condition changes on the workstring. Describe the steps required to manage the forces produced during: - pipe light and pipe heavy - buckling. Explain the procedure of transition from pipe light to pipe heavy and from pipe heavy to pipe light.	В	

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-SNO-04.01.02	Snubbing pipe in and out of a live well (with square collars/ram to ram).	Explain the process of snubbing pipe with square collars by opening and closing the stripper rams in sequence.	Explain the process of snubbing pipe with square collars by opening and closing the stripper rams in sequence.	В
Controlled w	vell shut in SN			
WI-SF-SNO-04.02.01	How to shut in the well quickly and safely with or without workstring in the well.	Explain how to safely shut in the well during a snubbing operation: - with workstring in the well - without workstring in the well - with BHA tools and components positioned at surface.	From a given situation, assess how to safely shut in the well during a snubbing operation: - with workstring in the well - without workstring in the well - with BHA tools and components positioned at surface.	A
WI-SF-SNO-04.02.02	Snubbing shear ram equipment operating limits.	From a given diagram or description, identify the non-shearable BHA tools and components.	From a given diagram or description, assess what action to take if there are non-shearable BHA tools and component across the BOP.	А

Learning objective. The student will gain an understanding of:

Level 3 Learning outcome The student will be able to:

Level 4 Learning outcome The student will be able to:

Loss of pres	Loss of pressure control during well intervention operations SN				
WI-SF-SNO-04.03.01	How to identify defects that could affect BOP function during a snubbing operation.	From a given diagram or description of a snubbing BOP, explain what to do when there is a defect: - leaking flange/fitting connections - leaking weep holes - damaged seals.	From a given diagram or description of a snubbing BOP, explain what to do when a defect occurs: - leaking flange/fitting connections - leaking weep holes - damaged seals. Explain the further actions required once the situation is made safe.	В	
WI-SF-SNO-04.03.02	What to do if surface equipment fails while the workstring is in the well during a snubbing operation.	Explain how to make the operation safe while maintaining control of the well if surface equipment fails while the workstring is in the well during a snubbing operation.	Assess what to do if surface equipment fails while the workstring is in the well during a snubbing operation, and explain the further actions required once the operation is made safe.	В	
WI-SF-SNO-04.03.03	What to do if the slip bowl fails during a snubbing operation.	Explain how to make the operation safe while maintaining control of the well if the slips fail during a snubbing operation when in: - pipe light - pipe heavy.	From a given situation, assess what to do if the slips fail during a snubbing operation, and explain the further actions required once the operation is made safe when in: - pipe light - pipe heavy.	В	

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-SNO-04.03.04	What to do if there is a leak from the surface equipment to the atmosphere during a snubbing operation.	Explain how to make the operation safe while maintaining control of the well if there is a leak from the surface equipment to the atmosphere during a snubbing operation: - below the lower stripping BOP rams - below the pipe rams/safety BOPs - above the shear/seal BOP - below the shear/seal BOP.	From a given situation, assess what to do if there is a leak from the surface equipment to the atmosphere during a snubbing operation, and explain the further actions required once the operation is made safe: - below the lower stripping BOP rams - below the pipe rams/safety BOPs - above the shear/seal BOP - below the shear/seal BOP.	A
WI-SF-SNO-04.03.05	What to do if pressure is seen at surface inside the workstring during a snubbing operation.	Explain how to make the operation safe while maintaining control of the well if pressure is seen at surface inside the workstring during a snubbing operation.	From a given situation, assess what to do if pressure is seen at surface inside the workstring during a snubbing operation, and explain the further actions required once the operation is made safe.	A
WI-SF-SNO-04.03.06	What to do if an alarm sounds when the workstring is in the well and you are required to muster in a safe area.	Explain how to make the operation safe while maintaining control of the well if an alarm sounds and you are required to muster in a safe area when the workstring is in the well.	From a given situation, assess what to do if an alarm sounds and you are required to muster in a safe area when the workstring is in the well and explain the further actions required once the operation is made safe.	В

Syllabus Category	Learning objective. The student will gain an understanding of:	Level 3 Learning outcome The student will be able to:	Level 4 Learning outcome The student will be able to:	Importance
WI-SF-SNO-04.03.07	What to do if the workstring downhole check valves (backpressure valves) leak while in the well during a snubbing operation.	Explain how to make the operation safe while maintaining control of the well if the workstring downhole check valves (backpressure valves) leak while in the well during a snubbing operation.	From a given situation, assess what to do if the workstring downhole check valves (backpressure valves) leak while in the well during a snubbing operation and explain the further actions required once the operation is made safe.	А